



ଓଡିଶା ଗ୍ରାମ୍ୟ ଉନ୍ନୟନ ଓ ବିପଣନ ସମିତି
ପଞ୍ଚାୟତିରାଜ ଓ ପାନୀୟ ଜଳ ବିଭାଗ, ଓଡିଶା ସରକାର
Odisha Rural Development & Marketing Society
creating competence and values in rural Odisha
Panchayati Raj and DW Department, Government of Odisha

ORMAS
BHUBANESWAR

Letter No. 1255 /

Date 12.5.2022

QUOTATION CALL NOTICE

Sealed Quotations are invited from the reputed Split AC repairing firms for repairing the following Split AC of ORMAS. The quotationer should quote their lowest possible price including GST by verifying the Split ACs during the office hour 10.00 AM to 5.30 PM. The quotation should reach in this office at SIRD & PR Campus, Unit-8, Bhubaneswar - 751012 within 7 days from the date of issue of this notice during office hours.

- | | | |
|---------------------------------|---|--------|
| 1. Voltas Split AC 1.5 TR, R-22 | - | 5 nos. |
| 2. LG Split AC 1.5 TR, R-22 | - | 1 no. |
| 3. Carrier 1.5 TR, R-22 | - | 1 no. |

The authority reserves the right to accept or reject any or all offers without assigning any reason thereof.

Bhul.
12.05.22
Addl. Chief Executive Officer (Finance)

Memo No. 1256 /

Dt. 12.5.2022

Copy forwarded to the Notice Board and website of ORMAS www.ormas.org for wide publicity.

Bhul.
Addl. Chief Executive Officer (Finance)